

Wood Plastic Composites Fencing (STWPC01) Installation Guide



SenTai Fencing (STWPC01) is made of WEAR WELL wood plastic composites. The surface looks great of its natural wood appearance with minimal maintenance. We mix the natural fiber (bamboo/wood powder) with PE into a strong, moisture-resistant composite; it is engineered to endure harsh weathers abuse of all sorts including rainstorms, rots, and salt. This new material is a safe, environmentally responsible alternative to traditional wood timber, conserving energy and resources. Not only does this save your time over the maintenance, but it will save you money as well.

To ensure continued client satisfaction, we always buy the good quality raw material. Each piece is knot free and consistent in size, color and length, therefore eliminating the search for the perfect piece. This material looks, smells and handles like wood but has the durability of plastic.

The Diagrams and instructions in this guide are for illustration purposes only and are not meant or implied to replace a licensed professional. Any construction or use of SenTai WPC must be in accordance with all local zoning and/or building codes. The consumer assumes all risks and liability associated with the construction and use of the product.


Wood Plastic Composites Fencing (STWPC01) Installation Guide

I. Fencing Parts




II. Installing steps

First step: Fix the horizontal bar to the pillars by stainless screws.




Second step: Fix the vertical bars; the plastic parts can connect them together.




Wood Plastic Composites Fencing (STWPC01) Installation Guide

Third step: Fit the upper horizontal bar to the vertical bars, connecting by plastic parts.



Last step: Use stainless nails to fix the horizontal bar to the pillar by the metal parts.



Notes:

1. For customers' convenience, the fencing we sell are half-finished, what you need to do is just fit them together by following the above four steps.
2. An iron stand used to fix the two pillars is highly suggested

Attention: Please use an electronic electro-drill to drill holes before screwing any stainless nails.

If you want to know more or have any question, please email to hzshentai@vip.163.com or call 0086-21-2127866(Ms. Susan Yang) or login in our website www.sentai-wpc.com

The Diagrams and instructions in this guide are for illustration purposes only and are not meant or implied to replace a licensed professional. Any construction or use of SenTai WPC must be in accordance with all local zoning and/or building codes. The consumer assumes all risks and liability associated with the construction and use of the product.